

light on your work

**X-BATTERY**  
MOBILE  
4x90W LED- 7M



**TRIME**  
Lighting Tower Specialist



## **X-BATTERY** MOBILE 4x90W LED - 7M

Our engineers know that the market needs a lighting tower that is rugged, long lasting and safe. The X-BATTERY MOBILE has been created beginning from these characteristics. It is the best solution to your needs and guarantees 2000 sqm of illuminated area. 10 units can be loaded on a standard truck. To all of this, we added the technology that allows for maximum fuel efficiency and reliability.



7m



1100g



340°



2000sqm



battery

- Multi-directionally adjustable and tiltable floodlights
- 5 sections manual vertical tower 7m, 340° rotatable
- Standard timer for machine power on and off
- Galvanized metalworks
- 80 µm powder coating
- Very compact dimensions for easy handling & transportability, up to 10 units per truck
- Central lifting eye longitudinal and transversal forklift pockets for effective handling
- Plug & play, colour coded cables and connectors
- Guided main coiled cable to avoid damage during tower operation
- Certified wind stability up to 110 km/h
- 4 height adjustable stabilizers
- On board levels for guidance during stabilization
- Running time 36h (optional 72h)
- 24 volt DC Battery
- Floodlights 4x90W
- Recharging in 12 hours
- 230V 1PH Battery charger built-in

## APPLICATIONS



Gas, oil & mining operations



Special events



Rural & hard to reach areas




Emergency response



Construction & work sites



Military applications



Illuminated area  
**2000 sqm**



**10**  
Units Per Truck



**You can place 10 units on a single vehicle thanks to one of the compactest footprints on the market.**

## KEY BENEFITS

- ✓ *No fuel cost*
- ✓ *No carbon emission*
- ✓ *No maintenance*
- ✓ *No noise emissions*
- ✓ *10 units per truck*


LED TECHNOLOGY

SAFETY VERTICAL MAST

AGM BATTERY

GALVANIZED BODY  
DURABLE ANTI-CORROSION  
PROTECTION

WORKING TIME 36/72 H





technical data

Dimensions & weight		Battery	
Dimensions min. (mm)	2380x1750x2660	Model	Trime
Dimensions max. (mm)	2550x2550x8500	Type	AGM
Total weight without fuel	1100 Kg	Volt	24
Features		Running time	36h
Rotation	340°	Recharging time	12h
Floodlights	4x90W	230V 1PH Battery charger built-in	
Lamps	LED		
Timer	Standard		
Options	Extra 24 volt DC Battery Pack X Extra 36h (total 72h)		

Standard load delivery


**10sets**



Units Per Truck

Illuminated area (5 lux min.)

**2000 sqm**



Lighting Tower **Specialist**

**TRIME s.p.a.**

Strada per Robecco, snc  
20081 Cassinetta di Lugagnano (MI) - Italy  
Tel. +39 02 942 1724  
www.trime.it - info@trime.it